



domnick hunter

AIR TOOL PROTECTOR

Protect your compressed air application by using a domnick hunter ATP1 to purify your air supply at the point of use.

Ideal for use with small compressors, the patented domnick hunter ATP1 will give trouble free operation.

It will also prolong the life of air tools, instruments and spray equipment by preventing corrosion usually caused by unwanted contamination.



Continuous clean dry air Portable and lightweight Easy to use

Incredibly versatile, the domnick hunter ATP1 can be used in numerous applications such as:

- Air Tool Protection
- Automotive Workshops
- Spray Painting / Coating
- Air Sampling Equipment
- Laboratory Test Equipment
- Airbrushes
- Ink Drying Equipment
- Leak Detection Equipment
- Shot Blasting
- Tyre Inflation

Customer Benefits

- Continuous clean dry air
- Portable and lightweight
- Silent
- No electrical requirements
- Reliable operation
- Easy to use
- Quick & easy to service
- Service/Life indicator
- Flexible mounting options


The **domnick hunter ATP1** prevents contamination of your compressed air applications. It is designed to protect air operated tools, instruments and spray equipment from harmful moisture (liquids & vapours), typically associated with compressed air.

A desiccant cartridge is provided which has a colour change indicator, warning of the need for cartridge replacement.


Technical Specifications

Flow range	0 – 42 m ³ /h	0 – 25 cfm
Maximum Operating Pressure	14 bar g	200 psig
Maximum Inlet Temperature	45°C	113°F
Minimum Inlet Temperature	4.4°C	40°F
Weight	6.5 kgs	14.5 lbs
Inlet connection	3/8" BSP	3/8" NPT
Outlet connection	3/8" BSP	3/8" NPT

ATP1 Housing



ATP1 Replacement Cartridge



domnick hunter limited
 Dukeway, Team Valley Trading Estate,
 Gateshead, Tyne and Wear,
 England NE11 0PZ
 Tel: +44 (0)191 402 9000
 Telefax: +44 (0)191 482 6296
www.domnickhunter.com



domnick hunter limited has a continuous policy of product development and although the Company reserves the right to change specifications, it attempts to keep customers informed of any alterations. This publication is for general information only and customers are requested to contact our Industrial Division Sales Department for detailed information and advice on a products suitability for specific applications. All products are sold subject to the Company's standard conditions of sale.